
From: Michael A Glagola (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=MIC0210]
Sent: 12/2/2015 1:56:09 PM
To: Scott Quinlan [s.quinlan@gaiconsultants.com]
CC: Kenneth Roller (Services - 6) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Kenne64]; Doug Wight (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Dougla7]; John Klamut [J.Klamut@gaiconsultants.com]; John DeBarbieri [J.DeBarbieri@gaiconsultants.com]
Subject: RE: Possum Point DEQ request

No trouble. Yes we'll wait for Ken to comment.

Mike

From: Scott Quinlan [mailto:s.quinlan@gaiconsultants.com]
Sent: Wednesday, December 02, 2015 1:54 PM
To: Michael A Glagola (Generation - 34)
Cc: Kenneth Roller (Services - 6); Doug Wight (Generation - 34); John Klamut; John DeBarbieri
Subject: RE: Possum Point DEQ request

Sorry – the template appeared to cause problems with the track changes. We will put it in a standard document and make the changes. A final version will be sent as soon as Ken weighs in, unless you direct otherwise. Thanks.

Scott

From: Michael A Glagola (Generation - 34) [<mailto:michael.a.glagola@dom.com>]
Sent: Wednesday, December 02, 2015 1:51 PM
To: Scott Quinlan
Cc: Kenneth Roller (Services - 6); Doug Wight (Generation - 34); John Klamut; John DeBarbieri
Subject: RE: Possum Point DEQ request

Scott,

I made some changes to the memo. For some reason my system would not allow me to track changes so what is in red needs to be removed and what is in blue added. I do not want to give DEQ what looks like a choice of how we decant the 145 million gallons. And now relooking at it, if we do not get a permit and decide to make Pond D active, and use Pond E as a holding pond for Pond D water, I would want to filter this water at 2000gpm as well. I realize this may affect a number of things.

Ken, your thoughts.

Mike

From: Scott Quinlan [<mailto:s.quinlan@gaiconsultants.com>]
Sent: Wednesday, December 02, 2015 1:01 PM
To: Michael A Glagola (Generation - 34)
Cc: Kenneth Roller (Services - 6); Doug Wight (Generation - 34); John Klamut; John DeBarbieri
Subject: Possum Point DEQ request

Mike:

Attached is a draft memo for your use in responding to the VaDEQ contact that requested information pertaining to the flow and duration estimates for dewatering Ash Pond D as well as the treatment descriptions for the wastewaters generated from the Pond Closure Project.

Also, the accompanying exhibits and figures to the memo are attached. Note that Figure 1, Figure 2, Exhibit 1, and Exhibit 2 include edits that we sent over to Glover Construction for finalization. We will forward those as soon as they are available. Contact me if you have any questions. Thanks.

Sincerely,

Scott C. Quinlan, PE
Director – Energy Water Resources Engineering and Planning

GAI Consultants, Inc.

500 Cranberry Woods Drive, Cranberry Township, PA 16066

724.772.2011 ext. 2409 | C 412.584.4508 |       eBrochures

 transforming ideas into reality[®] since 1958 | gaiconsultants.com

CONFIDENTIALITY NOTICE: This communication contains confidential information belonging to the sender and may be legally privileged. This communication is solely for the use of its intended recipient. If you are not the intended recipient, inform the sender of the error and remove this email from your system. If this transmission includes any technical information, design data, and/or recommendations, they are provided only as a matter of convenience and may not be used for final design and/or construction.

CONFIDENTIALITY NOTICE: This electronic message contains information which may be legally confidential and or privileged and does not in any case represent a firm ENERGY COMMODITY bid or offer relating thereto which binds the sender without an additional express written confirmation to that effect. The information is intended solely for the individual or entity named above and access by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution, or use of the contents of this information is prohibited and may be unlawful. If you have received this electronic transmission in error, please reply immediately to the sender that you have received the message in error, and delete it. Thank you.

00011634